HACCESS®
PERSONNALISE VOTRE HÔTEL

Haccess offers you the equipment of your bathroom, shower, mirrors, accessories, hairdryer and complements.

SIDE-LIGHT SMART ARCHE LED MIRROR W600 X H800 MM FRONTLIGHT WITH A RECESSED BRUSHED BLACK FRAME, 4000° K, LIGHT INTENSITY ADJUSTABLE USING A SENSOR SWITCH, WITH DEFOGGER



Side-Light Smart Arche LED mirror W600 x H800 mm, mirror recessed into the frame and LED lighting inside the frame.
Light intensity adjustable using a sensor switch.
Aluminum frame with a brushed black finish, 11 mm thick.
Mirror depth : 45 mm.
Edges of the mirror protected.
Color temperature : 4000° K – neutral white.
LED strip 8 W/m, 12 V, 504 LEDs/m.
LED strip lifetime : 50 000 hours.
Luminous flux : 800 lm/m.
CRI (Color Rendering Index) > 90.
Class 2, volume 2, IP44.
Tension : 230 V | 50–60 Hz.
Delivered fully assembled and ready to fix on the wall with brackets.
With defogger : 16 W.

The mirror must be connected to power supply via a class2 – IP24 connexion box according to the NFC 15-100 standard (not included).

Ref : SMA.ARC.SID.1080.58.MIR.80.60.4.S

TECHNICAL FEATURES

Dimensions	600 x 800 x 45 mm
Materials	Aluminum / Glass
Finishing	Brushed/Black

HACCESS®
PERSONNALISE VOTRE HÔTEL

Haccess offers you the equipment of your bathroom, shower, mirrors, accessories, hairdryer and complements.

Option 1	Without defogger ref. SMA.ARC.SID.1080.48.MIR.80.60.4.S
Source lumineuse	LED

HACCESS®
PERSONNALISE VOTRE HÔTEL

Haccess offers you the equipment of your bathroom, shower, mirrors, accessories, hairdryer and complements.

SMA.ARC.SID.1080.58.MIR.80.60.4.S : SIDE-LIGHT SMART ARCHE LED MIRROR W600 X H800 MM FRONTLIGHT WITH A RECESSED BRUSHED BLACK FRAME, 4000° K, LIGHT INTENSITY ADJUSTABLE USING A SENSOR SWITCH, WITH DEFOGGER

